

# MATERIAL SAFETY DATA SHEET

## 1. Identification of the substance or mixture and of the supplier

### 1.1 Product Name:

ResiCem "PRIMER B "

### 1.2 Company /Undertaking identification

Manufacturer's Name: **SHOFU INC.**

Address: 11 Kamitakamatsu- cho, Fukunine, Higashiyama- ku, Kyoto 605- 0983 ,JAPAN

Phone: +81- 75- 561- 1112

Fax: +81- 75- 561- 2273

Section in Charge: Quality Assurance Section

Date Prepared 2011.11.16

### 1.3 Emergency Telephone Number

+81- 75- 561- 1112

## 2 Hazards identification

### GHS CLASSIFICATION

PHYSICAL HAZARDS	FLAMMABLE LIQUIDS	Category 2
	PYROPHORIC LIQUIDS	Not Classified
	CORROSIVE TO METALS	Not Classified
HEALTH HAZARDS	ACUTE TOXICITY- ORAL	Not Classified
	ACUTE TOXICITY- DERMAL	Not Classified
	ACUTE TOXICITY- INHALATION(VAPOURS)	Not Classified
	SKIN CORROSION/IRRITATION	Category 2
	EYE DAMAGE/IRRITATION	Category 2A
	SENSITIZATION- RESPIRATORY	Category 1
	SENSITIZATION- SKIN	Category 1
	GERM CELL MUTAGENICITY	Not Classified
	CARCINOGENICITY	Not Classified
	TOXIC TO REPRODUCTION	Category 2
	SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (SINGLE EXPOSURE)	Category 3 (respiratory tract irritation,narcotic effects)
	SPECIFIC TARGET ORGAN SYSTEMIC TOXICITY (REPEATED EXPOSURE)	Category 2(blood, kidney)
ENVIRONMENTAL HAZARD	HAZARDOUS TO THE AQUATIC ENVIRONMENT- ACUTE HAZARD	Not Classified
	HAZARDOUS TO THE AQUATIC ENVIRONMENT- CHRONIC HAZARD	Not Classified

The thing without mention is out of a classification object. Or cannot classify it.

### LABEL ELEMENTS

#### SYMBOL



#### SIGNAL WORD

Danger

#### HAZARD STATEMENTS

Highly flammable liquid and vapor  
Causes skin irritation

**MATERIAL SAFETY DATA SHEET**

May cause allergic skin reaction  
 Causes serious eye irritation  
 May cause allergy or asthma symptoms or breathing difficulties if inhaled  
 May cause respiratory irritation  
 May cause drowsiness and dizziness  
 Suspected of damaging fertility or unborn child  
 Causes damage to organs through prolonged or repeated exposure  
 (blood,kidney)

**PRECAUTIONARY STATEMENTS**

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves and eye/face protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

Keep away from ignition sources such as heat/sparks/open flames- No smoking

Ground/Bond container and receiving equipment.

Use only outdoors or in a well-ventilated area.

Avoid exposing if necessary with a personal protection tool and a ventilator.

In case of inadequate ventilation wear respiratory protection.

Contaminated work clothing should not be allowed out of the workspace.

Keep container tightly closed.

Wash hands thoroughly after handling

Avoid release to the environment.

[Response]

If inhaled, remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER to doctor.

If exposed or concerned, get medical advice/attention.

If you feel un-well, get medical advice/attention.

Take off immediately contaminated clothing

Wash contaminated clothing before reuse.

If on skin, wash with plenty of soap and water. If on skin, skin irritation, get medical advice/attention.

If in eyes, rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

If eye irritation persists, get medical advice/attention.

[Storage]

Store in a cool and dark area.(Keep refrigerated when not in use)

[Disposal]

Dispose of contents and container in accordance with regulation.

**3.Composition/information on ingredients**

<i>Composition</i>		<i>Hazzard type</i>
2-Hydroxy Ethyl Methacrylate [Cas No.868- 77- 9]	≐ 40%	<b>Xi</b>
Acetone [Cas No.67- 64- 1]	≐ 20%	<b>F .Xi</b>
Acrylic adhesive monomer		
Others		

# MATERIAL SAFETY DATA SHEET

## 4. First-aid measures

- 4.1 *Eye contact* : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.
- 4.2 *Skin contact* : Wash immediately with soap and plenty of water. If on skin, skin irritation, get medical advice/attention.
- 4.3 *Ingestion* : Rinse mouth. Get medical advice/attention.
- 4.4 *Inhalation* : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptom concerning breath goes out, call a POISON CENTER to doctor.

## 5. Fire-fighting measures

- 5.1 *Suitable Extinguishing Media*: Powder, Alcohol-resistant foam, Carbon dioxide.
- 5.2 *Extinguishing Media Should not be used* : N/A
- 5.3 *Special Exposure Hazards Arising*: Easily flammable liquid in room temp.  
Irritation gases and fumes may emit.
- 5.4 *Special Protective Equipment*: Wear fire protective cloth and self-contained breathing apparatus if necessary.

## 6. Accidental release measures

- 6.1 *Personal Precautions*: See section 8.
- 6.2 *Environmental Precautions*: Send to approved treatment/disposal company or dispose according to local, state and federal regulations.
- 6.3 *Methods for Cleaning Up*: Wipe up and discard in a suitable container.

## 7. Handling and storage

- 7.1 *Handling*: Handle in a well ventilated place.  
Avoid inhalation of grindings and prolonged skin contact with uncured resin.  
Keep away from naked flames, sparks and sources of heat.
- 7.2 *Storage*: Store in a cool and dark fire proof area with container tightly closed.  
(Keep refrigerated when not in use.)

## 8. Exposure controls/personal protection

- 8.1 *Exposure limits*: ACGIH TLV.  
Aceton [Cas No.67- 64- 1] 500ppm(TWA);750ppm(STEL)A4
- 8.2 *Respiratory Protection*: Not required(use protective gas mask for organic gas, if necessary)
- 8.3 *Hand Protection*: Latex or rubber gloves
- 8.4 *Eye Protection*: Safety goggles (May be required)
- 8.5 *Skin Protection*: Not required (General working clothes.)

## 9. Physical and chemical properties

- 9.1 *Appearance/Odour/pH*: Colorless liquid with sweet odour
- 9.2 *Boiling Point/Boiling Range*: N/D
- 9.3 *Melting Point/Melting Range*: N/D
- 9.4 *Flash point*: - 12°C(close)
- 9.5 *Auto flammability*: N/D
- 9.6 *Explosive Properties*: N/D
- 9.7 *Oxidizing Properties*: N/D
- 9.8 *Vapour Pressure*: N/D
- 9.9 *Relative Density*: 1.10 (water=1)

# MATERIAL SAFETY DATA SHEET

9.10 Solubility: water solubility Soluble in all purport

## 10. Stability and reactivity

10.1 Stability: Stable under recommended storage conditions.  
 10.2 Reactivity: N/A  
 10.3 Condition to avoid: Avoid direct sunlight and high temperature. Keep away from source of ignition. (- electric discharge and smoking etc.)  
 10.4 Materials to avoid: Strong oxidizing materials

## 11. Toxicological information

Acetone ;

Acute toxicity : Emergency response guidebook

Vapors may cause dizziness or suffocation.

(Inhalation)	mouse	LCL0	110 g/m <sup>3</sup> /1H
	rat	LCL0	16000 ppm/4H
	human	TCL0	500 ppm
(Oral)	mouse	LD50	3000 mg/kg
	rat	LD50	5800 mg/kg
(Dermal)	rabbit	LD50	20 g/kg

Irritant properties :

Inhalation or contact with material may irritate or burn skin and eyes.

Irritant properties to skin/eye.

(Skin)	rabbit	3950 ug ; SEVERE
	rabbit	100 mg/24H ; MODERRATE
(Eye)	rabbit	395 mg open ; MLD
	rabbit	500 MG/24H ; MLD

Allergenic and sensitizing effects ; N/A

Chronic toxicity ;

Toxic : danger of serious damage to health by prolonged exposure through inhalation.

Carcinogenic effects ;

ACGIH- A4 : Not Classifiable as a Human Carcinogen.

Mutagenic effects ; N/A

Teratogenic effects ; N/A

Toxicity for reproduction ; N/A

2-Hydroxy Ethyl Methacrylate ;

Acute toxicity :

(Oral)	rat	LD50	≥ 4000mg/kg
(Dermal)	rabbit	LD50	≥ 3000mg/kg

## 12. Ecological information

The product should not be allowed to drain into sewers.

## 13. Disposal considerations

Dispose of contents/container to in accordance with local/regional/national/international regulations.

## 14. Transport information

UN Hazard Class:3/UN Packing Group: II  
 UN NO.1090 (as Aceton)

# MATERIAL SAFETY DATA SHEET

---

**15.Regulatory information**

---

Follow all regulations in your country.

---

**16.Other information**

---

This product is intended for use by dental professionals. (instrument/material)