





In a Class of Its Own

SHOFU ZR Lucent Supra is a premium multi-layered zirconia that harmonizes remarkable strength with life-like aesthetics. The multi-layered, high-strength CAD/CAM zirconia disk features a seamless gradation of translucency that increases from the cervical towards the enamel zone while maintaining outstanding flexural strength across all layers.

With flexural strength above 1400 MPa in the cervical zone, **SHOFU ZR Lucent Supra** is ideal for a wide spectrum of clinical indications including 14-unit bridges with two connected pontics in the anterior and posterior regions. Designed with higher light reflection in the cervical area, it has life-like brilliance with effective masking capabilities making it ideal for implant cases and discoloured abutments.












Exceptional Strength & Resilience

SHOFU Disk ZR Lucent Supra is developed with high flexural strength of over 1,000 MPa across the entire disk height, with a maximum of 1454 MPa at the cervical region, to ensure greater accuracy and predictability even when fabricating large restorations. Optimized strength across the different zones also allows freedom in selecting the nesting position in the disk.




SHOFU Disk ZR Lucent Supra disk is produced under stringent and sophisticated manufacturing process, using only the highest grade of 100% TOSOH pure zirconia powders as raw materials to ensure consistently high quality.









The seamless 5 layered zirconia disk is created with life-like translucency by balancing the differences in particle sizes between the individual layers. The larger the particles are, the more they transmit light and the less they refract or reflect it. The finer they are, the more they reflect and scatter light.

The high-strength cervical area displays intense light reflection that gradually decreases towards the incisal area. This makes restorations appear much more vivid, brilliant and natural, as compared to conventional, translucent multilayered zirconia materials.



Smart Solutions with SHOFU ZR LUCENT SUPRA



Technical Specifications

Diameter	98 mm with groove		
Thickness	14 mm, 16mm, 18 mm, 22 mm		
Shades	Pure White, W0, W2, A1, A2, A3, A3.5, B1, B3, C1, C3, D2		
Flexural strength, sintered (DIN-ISO 6872:2015)	Enamel: (30%) 1,034 MPa Dentine: (35%) 1,163 MPa Cervical: (35%) 1,454 MPa		
Vickers hardness, unsintered (HV 0.2) (DIN-ISO 6507:2005)	Enamel: HV 45 Cervical: HV 65		
Sintering temperature	1,450 °C		
Translucency (shade A2 / thickness 0.5 mm)	Enamel: 44% Dentine: 40% Cervical: 37%		



IA DISK FOR DENTAL CAD/CAM SYSTE

rine, Hipashyama ku, Kyoto 605-0983, Japan Fi C PTELTD. he Alcha, Science Parkil, Singapore 117684 off en, Germany



Order Information

Disk	\$ 14 mm	16 mm	\$ 18 mm	‡ 22 mm
Pure White	Z0168	Z0180	Z0192	Z0204
W0	Z0169	Z0181	Z0193	Z0205
W2	Z0170	Z0182	Z0194	Z0206
A1	Z0171	Z0183	Z0195	Z0207
A2	Z0172	Z0184	Z0196	Z0208
A3	Z0173	Z0185	Z0197	Z0209
A3.5	Z0174	Z0186	Z0198	Z0210
B1	Z0175	Z0187	Z0199	Z0211
B3	Z0176	Z0188	Z0200	Z0212
C1	Z0177	Z0189	Z0201	Z0213
C3	Z0178	Z0190	Z0202	Z0214
D2	Z0179	Z0191	Z0203	Z0215

Related Products



Vintage Art Universal Basic Color Set [REF P0723]

16 powder stains, 2g each:
Pink, Violet, Yellow, Green, Blue,
Blue Gray, Orange, Orange Brown,
Dark Red Brown, White, Black, Khaki,
A shade, B shade, C shade, D shade, Glazing Powder
GP-F (15g), Vintage Art Universal Liquid (50ml)
Color table, Advanced product information



ZilMaster Finishing & Polishing Kit [REF S0009]

Dura-Green DIA TC4 / KN7 / WH6

ZiLMaster Course Bullet / KN7 / WH6

ZiLMaster Medium Bullet / KN7 / WH6

ZiLMaster Fine Bullet / KN7 / WH6

ZiLMaster Refills 3 pcs / box HP and CA Shank



Resicem Paste Refill 5ml Clear [REF 3221]



BeautiBond Xtreme Set [REF Y2448]

(5ml bottle, Micro brush 50's, V dish 25's)



SHOFU Universal Primer [REF Y0060]



